目 錄

| 中文摘要. | | ••••• |
|-------|---------------|-------|
| 英文摘要. | | |
| 第一章 | 緒 言 | 1 |
| 第二章 | 總 論 | 3 |
| 第一節 | 補益劑之文獻考察 | 3 |
| -, | 六味地黃丸之方劑學文獻考察 | 3 |
| | 補中益氣湯之方劑學文獻考察 | 9 |
| 三、 | 知柏八味丸之方劑學文獻考察 | 15 |
| 四、 | 歸脾湯之方劑學文獻考察 | 20 |
| 第二節 | 糖尿病與學習記憶的相互關係 | 27 |
| _, | 糖尿病分類及病因 | 27 |
| | 學習與記憶的基本過程 | 27 |
| 三、 | 糖尿病與學習記憶關係 | 28 |
| 第三章 | 實驗材料與方法 | 30 |
| 第一節 | 實驗材料 | 30 |
| _, | 補益劑萃取過程 | 30 |
| | 實驗試劑 | 32 |
| 三、 | 實驗動物 | 33 |
| 四、 | 實驗儀器 | 33 |
| 第二節 | 實驗方法 | 35 |
| -, | 高血糖鼠之誘導 | 35 |
| =, | 標準口服葡萄耐受性測試 | 35 |
| 三、 | Morris 水迷宮實驗 | 38 |

| 第三節 | 节 單胺濃度 (Monoamine) 測試 | 40 |
|------|-------------------------|----|
| 第四節 | う 數據統計 | 41 |
| 第四章 | 實驗結果 | 42 |
| | 標準口服葡糖耐受性測試 | 43 |
| | 水迷宮學習記憶測試 | 52 |
| 三、 | 單胺濃度測試 | 72 |
| 第五章 | 討論 | 82 |
| 參考文獻 | | 89 |

圖 目 錄

| Fig. 1 | 水迷宮電腦劃分圖 | 33 |
|--------|---|----|
| Fig. 2 | Plasma glucose(mg/dl)and insulin(ng/ml)levels of LWW and in standard oral glucose tolerance test. | 44 |
| Fig. 3 | Plasma glucose(mg/dl) and insulin (ng/ml) levels of PCT and in standard oral glucose tolerance test. | 45 |
| Fig. 4 | Plasma glucose(mg/dl) and insulin(ng/ml) levels of JPW and in standard oral glucose to lerance test. | 46 |
| Fig. 5 | Plasma glucose(mg/dl) and insulin(ng/ml) levels of GPT and in standard oral glucose tolerance test. | 47 |
| Fig. 6 | Preventive and therapeutic effects of LWW on plasma glucose (mg/dl) and insluin (ng/ml) levels in glucose tolence test in STZ induced diabetes rats | 48 |
| Fig. 7 | Preventive and therapeutic effects of PCT on plasma glucose (mg/dl) and insluin (ng/ml) levels in glucose tolence test in STZ induced diabetes rats | 49 |
| Fig. 8 | Preventive and therapeutic effects of JPW on plasma glucose (mg/dl) and insluin (ng/ml) levels in glucose tolence test in STZ induced diabetes rats | 50 |
| Fig. 9 | Preventive and therapeutic effects of GPT on plasma glucose (mg/dl) and insluin (ng/ml) levels in glucose tolence test in STZ induced diabetes rats | 51 |
| Fig.10 | Effects of LWW on total swimming time and path length of STZ induced diabetes rats on the hidden platform of water maze. | 53 |

| Fig.11 | Effects of PCT on total swimming time and path length of STZ induced diabetes rats on the hidden platform of water maze | 54 |
|--------|--|----|
| Fig.12 | Effects of JPW on total swimming time and path length of STZ induced diabetes rats on the hidden platform of water maze | 55 |
| Fig.13 | Effects of GPT on total swimming time and path length of STZ induced diabetes rats on the hidden platform of water maze | 56 |
| Fig.14 | Total swimming time and path length of control, STZ and LWW (prevent and cure) groups which swum through the target ring in the third day. | 58 |
| Fig.15 | Total swimming time and path length of control, STZ and PCT (prevent and cure) groups which swum through the target ring in the third day. | 59 |
| Fig.16 | Total swimming time and path length of control, STZ and JPW (prevent and cure) groups which swum through the target ring in the third day.) | 60 |
| Fig.17 | Total swimming time and path length of control, STZ and GPT (prevent and cure) groups which swum through the target ring in the third day. | 61 |
| Fig.18 | Swimming time and path length of control, STZ and LWW (prevent and cure) groups that swum to the hidden platform during reacquisition and retrieval of water maze. | 63 |
| Fig.19 | Swimming time and path length of control, STZ and PCT (prevent and cure) groups that swum to the hidden platform during reacquisition and retrieval of water maze. | 64 |
| | | |

| Fig.20 | Swimming time and path length of control, STZ and JPW |
|--------|--|
| | (prevent and cure) groups that swum to the hidden platform during reacquisition and retrieval of water maze65 |
| Fig.21 | Swimming time and path length of control, STZ and GPT (prevent and cure) groups that swum to the hidden platform |
| | during reacquisition and retrieval of water maze66 |
| Fig.22 | Time and distance of control, STZ, LWW (prevent and cure) groups which swum to the visible platform, and their swimming speed |
| Fig.23 | Time and distance of control, STZ, PCT (prevent and cure) groups which swum to the visible platform, and their swimming speed |
| Fig.24 | Time and distance of control, STZ, JPW (prevent and cure) groups which swum to the visible platform, and their swimming speed. |
| Fig.25 | Time and distance of control, STZ, GPT (prevent and cure) groups which swum to the visible platform, and their swimming speed. |
| Fig.26 | Concentration of monoamine (VMA, NE, DA, DOPAC, 5-HT, 5-HIAA) of LWW, STZ and control groups in cortex73 |
| Fig.27 | Concentration of monoamine (VMA, NE, DA, DOPAC, 5-HT, 5-HIAA) of PCT, STZ and control groups in cortex74 |
| Fig.28 | Concentration of monoamine (VMA, NE, DA, DOPAC, 5-HT, 5-HIAA) of JPW, STZ and control groups in cortex75 |
| Fig.29 | Concentration of monoamine (VMA, NE, DA, DOPAC, 5-HT, 5-HIAA) of GPT, STZ and control groups in cortex76 |

| Fig.30 | Concentration of monoamine (VMA, NE, DOPAC, 5-HT, |
|--------|--|
| | 5-HIAA) of LWW, STZ and control groups in hippocampus78 |
| Fig.31 | Concentration of monoamine (VMA, NE, DOPAC, 5-HT, |
| | 5-HIAA) of PCT, STZ and control groups in hippocampus79 |
| Fig.32 | Concentration of monoamine (VMA, NE, DOPAC, 5-HT, |
| | 5-HIAA) of JPW, STZ and control groups in hippocampus80 |
| Fig.33 | Concentration of monoamine (VMA, NE, DOPAC, 5-HT, |
| | 5-HIAA) of GPT, STZ and control groups in hippocampus81 |