

表6 口服Borymycin血清中藥物濃度 (μg/ml)

Time (hr)	A	B	C	D	E	F	G	H	I	J	K	L	M	N	Mean	S.D.	C.V.
0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
0.5	0.583	0.103	1.902	0.458	1.501	0.421	0.124	1.401	0.906	0.880	0.286	0.161	1.211	0.423	0.740	0.573	77.44%
1	1.164	0.738	2.253	1.169	1.898	1.378	1.528	1.646	1.168	1.307	1.579	0.902	1.379	0.821	1.352	0.416	30.75%
1.5	1.550	1.470	2.026	1.807	1.977	1.748	1.716	1.722	1.425	1.638	1.998	1.707	1.413	1.400	1.685	0.217	12.85%
2	1.393	1.859	1.934	1.513	1.810	1.634	1.410	1.632	1.644	1.305	1.943	1.738	1.840	1.594	1.661	0.204	12.31%
2.5	1.260	1.668	1.727	1.458	1.576	1.500	1.223	1.516	1.766	1.131	1.752	1.757	1.610	1.477	1.530	0.207	13.54%
3	1.186	1.535	1.648	1.404	1.533	1.482	1.128	1.494	1.615	1.107	1.530	1.725	1.441	1.400	1.445	0.188	13.03%
3.5	1.107	1.413	1.508	1.349	1.513	1.277	1.079	1.425	1.488	1.040	1.393	1.631	1.209	1.374	1.343	0.179	13.30%
4	1.067	1.387	1.313	1.296	1.488	1.224	1.069	1.417	1.389	1.035	1.381	1.483	1.134	1.278	1.283	0.155	12.07%
6	0.980	1.099	1.258	1.232	1.323	1.037	0.980	1.116	1.137	1.017	1.107	1.225	1.099	1.104	1.122	0.104	9.31%
8	0.906	0.986	1.097	1.082	1.227	0.854	0.936	1.052	1.095	0.791	0.979	1.001	0.963	0.976	0.996	0.111	11.13%
10	0.882	0.875	0.936	1.073	1.108	0.748	0.773	0.977	1.039	0.712	0.947	0.850	0.895	0.940	0.911	0.118	12.92%
12	0.795	0.759	0.799	0.859	0.981	0.597	0.714	0.812	0.907	0.687	0.845	0.737	0.660	0.858	0.786	0.103	13.07%
24	0.479	0.428	0.465	0.492	0.529	0.412	0.410	0.480	0.601	0.465	0.493	0.493	0.469	0.593	0.486	0.057	11.74%
36	0.309	0.239	0.329	0.251	0.324	0.228	0.243	0.313	0.373	0.302	0.335	0.301	0.278	0.409	0.302	0.052	17.18%
48	0.209	0.144	0.196	0.190	0.267	0.118	0.137	0.175	0.330	0.231	0.219	0.185	0.163	0.273	0.202	0.058	28.76%
60	0.190	0.103	0.133	0.116	0.168	N.D.	0.100	0.132	0.251	0.155	0.173	0.148	0.116	0.204	0.153	0.044	28.68%
72	0.116	N.D.	0.104	N.D.	0.120	N.D.	N.D.	N.D.	0.180	N.D.	0.112	N.D.	N.D.	0.160	0.132	0.031	23.18%

