

VI. 參考文獻：

1. Kirk R. (2000) Current approaches to the clinical diagnosis of Alzheimer's disease. Early diagnosis of Alzheimer's disease chapter 2; pp:29~64
2. Junying Yung, Bruce A. Yankner (2000) Apoptosis in the nervous system. Nature : 407, pp:802-09.
3. Dennis J. Selkoe, (2001) Alzheimer's disease: genes, proteins, and therapy. Physiological Review :81, pp:741-66.
4. Yoshihiro Kashiwaya, Takao Takeshima, Nozomi Mori, Kenji Nakashima, Kieran Clarke, Richard L. Veech (2000) D-hydroxybutyrate protects neurons in models of Alzheimer's and Parkinson's disease. Proc. Natl. Acad. Sci.:97,pp:5440-44.
5. Mark Bothwell, Edeard Giniger (2000) Alzheimer's disease neurodevelopment converges with neurodegenerative. Cell :102, pp:271-76.
6. William J. Welch, Pierluigi Gambetti (1998) Neurodegeneration: Chaperoning brain disease. Nature:392, pp: 23-24.
7. The CIBA collection of Nervous system.
8. Pathology 2ed Nervous system and muscle. pp: 451-56.
9. J. Q. Tronowski, R. W. Shin, M. L. Schmidt, V. M. Y. Lee (1995) Relationship between plaques, tangle, and dystrophic processes in Alzheimer's disease Neurobiology of Aging :16, pp: 335-45.
10. Alzheimer, A. (1907) Uber eine eigenartige Erkrankung der

Hirnrinde. Allg.Zsher. f Psychiatr. Psychisch-Gerichtl. Mediz. :64, pp:146-48.

11. Bradely T. Hyman, Teresa gomes-isola (1998) Normal aging and alzheimer's disease Handbook of the aging brain. chapter:5, pp: 83-92.
12. Qi-sheng Chen, Bruce L. Kagan, Yutaka Hirakura, Cui-wei Xie. (2000) Impairment of Hippocampal long-term potentiation by Alzheimer amyloid beta - peptides. J. Neuroscience research: 60, pp:65-72.
13. Striimatter WJ., Saunders AM., Schmechel D. et al. (1993) Apolipoprotein E:high-avidity binding to beta-amyloid and increase frequence of type 4 allele in late - onset familial Alzheimer's disease. Proc. Natl. Acad. Sci.:90, pp:1977-81.
14. David R. Borchelt, Gorchelt Thinakaran, Christopher B. et al. (1996) Familial Alzheimer's disease-linked presenilin I variants elevate beta-amyloid 1-42 / 40 ratio in vitro and in vivo. Neuron:17, pp:1005-12.
15. Tokuda T, Fukushima T, Ikeda S, Sekijima Y, Shoji S, Yanagisawa N, Tamoaka A. (1997) Plasma levels of amyloid beta protein A β 1-40 and 1-42(43) are elevated in Down's syndrome. Ann Neurol: 41, pp: 271-73.
16. Goate A, Chartier-Harlin M-C. (1991) Segregation of missense mutation in the amyloid precursor protein gene with familial Alzheimer's disease. Nature: 349, pp: .
17. Dennis J. selkoe (1998) The pathophysiology of Alzheimer's

- disease Early diagnosis of Alzheimer's disease. Chapter:4, pp: 83-104.
18. Seubert P, Vigo-Pelfery C, Esch F, Lee M, Dovey H, Davis D (1992) Isolation and quantification of soluble Alzheimer's beta-peptide is from biological fluids. *Nature*: 359, pp: 325-27.
 19. Ghiso, J. (1997) Alzheimer's soluble amyloid is a normal component of human urine. *FEBS Lett*: 408, pp: 105-08.
 20. Glenner, G. G., Wong C. W. (1984) Alzheimer's disease: Initial report of the purification and characterization of novel cerebrovascular amyloid protein. *Biochem. Biophys. Res. Commun* :120, 885-90.
 21. Tamaoka A. (1997) Amyloid protein 42 / 43 in CSF of patients with Alzheimer's disease. *J. Neurosci.*:148.
 22. Scott Turner, Nobuhiro Suzuki, Abraham S. C. Chyung, Steven G. Younkin, and Virginia M.-Y. Lee (1996) Amyloid 40 and 42 are generated intracellularly in cultured human neurons and their secretion increase with maturation. *J. Biol Chem*: 271; pp: 8966-70 .
 23. Kang, J., Lemaire, H. G., Unterbeck, A., Salbaum, J. M., Masters, C. L., Grzeschik, K. H., et al. (1987) The precursor protein of Alzheimer's disease amyloid resembles a cell-surface receptor. *Nature*:325, pp: 733-36.
 24. Selkoe DJ., Podlisny MB, Joachim CL, Vickers EA, Lee G, Fritz LC, Oltersdorf (1988) Beta-amyloid precursor protein of Alzheimer's disease occurs as 110-135 kDa membrane - associated proteins in neural and noneural tissues. *Proc. Natl.*

- Acad. Sci. USA: 85; pp: 7341- 45.
25. Haass C, Hung AY, Selkoe DJ. (1991) Processing of beta-amyloid precursor protein in microglia and astrocytes favors a localization in internal vesicles over constitutive secretion. *J. Neurosci.*: 11, 3783-93.
 26. Smith RP, Higuchi DA, Broze GJ JR. (1990) Platelet coagulation factor XIa-inhibitor, a form of Alzheimer's amyloid precursor protein. *Science* :248, pp: 1126-28.
 27. Tanzi RE, McClatchey AI, Lamperti ED, Villa-komaroff L, Gusella JF, Neve RL. (1988) Protease inhibitor domain encoded by an amyloid protein precursor mRNA associated with Alzheimer's disease. *Nature* :331, pp: 528-32.
 28. Saijoh T, Sundsmo M, Roch JM, Kimura N, Cole G, Schubert D, Oltersdorf T, Schenk DB. (1989) Secreted form of amyloid β protein precursor is involved in the growth regulation of fibroblasts. *Cell*: 58, pp: 615-22.
 29. Mattson M, Cheng B, Culwell A, Esch F, Lieberburg I, Rydel R. (1993) Evidence for excitoprotective and intraneuronal calcium-regulating roles for secreted forms of the β -amyloid precursor protein. *Neuron*: 10; pp: 243-54.
 30. Shoji, M., Golde, T. E., Ghiso, J., Cheung, T. T., Estus, S., Shaffer, L. M., et al. (1992) Production of Alzheimer's amyloid protein by normal proteolytic processing. *Science*:258, pp: 126-29.
 31. Evin, G., Beyreuther, K., Masters, C. L. (1994) Alzheimer's disease amyloid precursors protein : proteolytic processing,

- secretases and amyloid production. *Amyloid: Int. J. Exp. Clin. Invest.* 1, pp: 263-80.
32. M. D. Ard, G. M. Cole, J. Wei, A. P. Mehrle, J. D. Fratkin (1996) Scavenging of Alzheimer's Amyloid protein by microglia in culture. *J. Neuros. Res.*: 43, pp: 190-202.
 33. Costantino Iadecola, Fangyi Zhang, Kiyoshi Niwa, Chris Eckman, Sherry K. Turner, et al. (1999) SOD1 rescues cerebral endothelial dysfunction in mice overexpression amyloid precursor protein. *Nature neuroscience*: 2, pp: 157-61.
 34. Bradely T. (1998) *Handbook of the aging brain*. Chapter: 5, pp : 83-91.
 35. Morris, J. C., McKeel D. W. (1991) Very mild Alzheimer's disease : Informant - based clinical, psychometric, and pathologic distinction from normal aging. *Neurology*: 41.
 36. Iriazzy MC, Soriano F, McNamara M, Page KJ, Schenk D, Games D, Hyman BT (1997) Abeta deposition is associated with neuropil changes, but not with overt neuronal loss in the tuman amyloid p recusor protein V717F (PDAPP) transgenic mouse *J. Neurosci* : 17, pp: 7053-59.
 37. Iriazzy MC, McNamara M, Fedorchak K, Hsiao K, Hyman BT (1997) APPSw transgenic mice develop age- related A beta deposits and neuropil abnormalities, but no neural loss in CA1 *J. Neuropathol Exp Neurol*: 56, pp: 965-73.
 38. Glenner, C. G., Wong C. W. (1984) Alzheimer's disease: initial

- report of the purification and characterization of a novel cerebrovascular amyloid protein. *Biochem Biophys Res Commun*: 120, pp: 885– 90.
39. Cai XD, Golde TE, Younkin SG (1993) Release of excess amyloid b protein from a mutant amyloid β protein precursor. *Science*: 259, pp: 514–517.
40. Suzuki N, Cheung T. T., Cai X.D., Odaka A., Otvos L. Jr, Eckman C., Golde TE., Younkin SG. (1994) An increased percentage of long amyloid b protein secreted by familial amyloid b protein precursor (bAPP717) mutants. *Science*: 264, pp: 1336–1340.
41. Scheuner D, Eckman C, Jensen M, Song X, Citron M, Suzuki N, Bird TD, Hardy J, Hutton M, Kukull W, Larson E, Levy-Lahad E, Viitanen M, Peskind E, Poorkaj P, Schellenberg G, Tanzi R, Wasco W, Lannfelt L, Selkoe D, Younkin S (1996) Secreted amyloid b-protein similar to that in the senile plaques of Alzheimer's disease is increased *in vivo* by the presenilin 1 and 2 and APP mutations linked to familial Alzheimer's disease. *Nat Med*: 2, pp: 864 –870.
42. Younkin SG, Eckman CB, Ertekin Taner N, Kawarabayashi T, Yager D, Baker M, Perez-tur J, Houlden H, Hutton M, Younkin LH, Graff-Radford NR (1998) Genetic elevation of plasma amyloid b protein in typical late onset Alzheimer's disease. *Soc Neurosci Abstr*: 24, pp: 263.
43. Jarrett JT, Berger EP, Lansbury Jr PT (1993) The carboxy terminus of the b amyloid protein is critical for the seeding of

- amyloid formation: implications for the pathogenesis of Alzheimer's disease. *Biochemistry*: 32, pp: 4693– 4697.
44. Iwatsubo T, Odaka A, Suzuki N, Mizusawa H, Nukina N, Ihara Y (1994) Visualization of Ab42(43) and Ab40 in senile plaques with end-specific Ab monoclonals: evidence that an initially deposited species is Ab42(43). *Neuron*: 13, pp: 45–53.
 45. Funato H, Yoshimura M, Kusui K, Tamaoka A, Ishikawa K, Ohkoshi N, Namekata K, Okeda R, Ihara Y (1998) Quantitation of amyloid b-protein (Ab) in the cortex during aging and in Alzheimer's disease. *Am J Pathol*: 152, pp: 1633–40.
 46. Bert Vogelstein, David Lane, Arnold J, Levine (2000) Surfing the p53 network. *Nature*: 408, pp: 307-10.
 47. Nicholas D Lakin, Stephen P Jackson (1999) Regulation of p53 in response to DNA damage. *Oncogene*: 18; pp: 7644-55.
 48. Margaret Ashcroft, Karen H Vousden (1999) Regulation of p53 stability. *Oncogene*: 18, pp: 7637-43.
 49. Carol prives, Peter A. Hall (1999) The p53 pathway. *J. Pathology*: 187, pp: 112-26.
 50. William G., Kaelin Jr (1999) The p53 family. *Oncogene*: 18, pp: 7701-05.
 51. Frank M LaFerla, Catherine Kappel Hall, Lien Ngo, Gilbert Jay (1996) Extracellular deposition of amyloid upon p53 dependent neuronql cell death in transgenic mice. *J Clin Invest.*: 98; pp: 1626 – 32.
 52. Bey-Dih Chang, Keiko Watanabe, Eugenia V Broude, Jing Fang, Jason C. Poole, Tatiana V. Kalinichenko (2000) Effect of

- p21waf1/cip1/sdi1 on cellular gene expression: Implications for carcinogenesis, senescence, and age-related disease. *Proc. Natl. Acad. Sci.*: 97, pp: 4291-96
53. Raina, A.K., Monteiro, M.J., McShea, A., Smith, M.A.(1999) The role of cell cycle-mediated events in Alzheimer's disease. *Int. J. Exp. Pathol.* : 80, pp: 71–76.
54. Arun K. Raina, Patricia Pardo, Catherine A. Rottkamp, Xiongwei Zhu, Olivia M. Pereira-Smith, Mark A. Smith (2001) Neurons in Alzheimer disease emerge from senescence. *Mechanisms of Ageing and Development*: 123, pp: 3–9.
55. Gregory J. Brewer. (1997) Isolation and culture of adult rat hippocampus neurons. *J. Neuroscience*: 71. .
56. Richard T., Robertson, Casey M., Annis, Beat H., Gahwiler (1990) Production of organotypical slice culture of neural tissue using the roller-tube technique *Cellular Neurobiological chapter*: 3, pp: 39-56.
57. J. Chad, H. Wheal (1990) *Cellular Neurobiological : a partical approach*.
58. Kanefusa Kato., Fujiko Suzuki, Rika Morishita, Tomiko Asano, Tsuneko Sato (1990) Selection increased in S-100 protein by aging in rat cerebral cortex. *J. Neuronchemistry*: 54, pp: 1269-73.
59. Michael E. Calhoun, Karl-Heinz Wiederhold, Dorothee Abramowski, Amie L. Phinney, Alphonse Probst, Christine Sturchler Pierrat (1998) Neuron loss in APP transgenic mice. *Nature*: 395, pp: 755-56.

60. Colin K. Combs, Derrick E. Johnson, J. Colleen Karlo, Steven B. Cannady, Gary E. Landreth (2000) Inflammatory mechanism in Alzheimer's disease : inhibition of β - amyloid stimulated proinflammatory response and neurotoxicity by PPAR agonist. *J. Neurosci.* : 20, pp: 558-567.
61. Minako Hoshi, Akihiko Taashima, Miyuki Murayama, Kaori Yasutake, Natsuko Yoshida, Koichi Ishiguro, Toshimitsu Hoshino, Kazutomo Imahori (1997) Nontoxic amyloid peptide 1-42 suppresses acetylcholine synthesis. *JBC*: 272, pp: 2038-41.
62. Haiyan Zhu, Weiming Fu, Mark P. Mattson (2000) The catalytic subunit of telomerase protects neuron agonist amyloid peptide induced apoptosis. *J. Neurochem*: 75, pp: 117-124.
63. Aileen J. Anderson, Christian J. Pike, Carl W. Cotman (1995) Differential induction of immediate early gene proteins in cultured neurons by beta- amyloid : association of c-Jun with amyloid induced apoptosis. *J. Neurochem.* : 65, pp: 1478-98.
64. Keisuke Hirai, Hitomi Hayako, Koki Kato (1998) Idebenone protects hippocampal neurons agonist amyloid induced neurotoxicity in rat primary cultures. *Naunyn-Schmiedeberg's Arch Pharmacol*: 358, pp: 582-85.
65. Akihiko Takashima, Haruyasu Yamaguchi, Kaori Noguchi, Gilles Michel, Koichi Ishiguro, Kazuki Sato, Toshimitu Hoshino, Kazutomo Imahori (1995) Amyloid induced cytoplasmic accumulation of amyloid protein precursor and via tau prokinase I/ GSK-3 β in rat hippocampus neuron. *Neurosci.*

- Lett.: 198, pp: 83-86.
66. Xiu-Zhen Yan, Rong Xiao, Yan Dou, Su Dand Wang, Zhong Dong Qiao, Jian Tian Qiao (2000) Carbachol blocks amyloid fragement 31-35 induced apoptosis in cultured cortical neuron. Brain rech.: 51. pp: 465-70.
 67. Gretchen H. Stein, Linda F. Derllinger, Alexandre Soulard, Vjekoslav Dulic (1999) Differential roles for CDK inhibitors p21 and p16 in mechanism of sencence and differentiation in human fibroblasts. Mol. Cell. : 19, pp: 2109-17.
 68. Qin M. Chen, James C. Bartholomew, Judith Campisi, Meileen Acosta, Joshua D. Reagan (1998) Molecular analysis of H₂O₂ induced senescent like arrest in normal human fibroblast : p53 and Rb control G1 arrest but not cell replication. Biochem. J. :332, pp: 43-50.
 69. E.J. Yeo, Y.C. Hwang, C.M. Kang, I.H. Kim, D.I. Kim, J.S. Parka, H.E. Choy, W. Y. Park, S. C. Park (2000) Sencence like changes by hydroxyurea in human fibroblast. Exp. Geront.: 35, pp: 553-571.