

## 參考文獻

1. Cheng, C. C. A Common Structural Pattern Among Many Biologically Active Compounds of Natural and Synthetic Origin. *Med. Hypotheses* **1986**, *20*, 157-172.
2. Hung, M. T.; Wood, A. W.; Newmark, H. L.; Snyer, J. M.; Yagi, H.; Jerina, D. M.; Conney, A. H. Inhibition of the Mutagenicity of Bay-Region Diol-Epoxides of Polycyclic Aromatic Hydrocarbons by Phenolic Plant Flavonoids. *Carcinogenesis* **1983**, *4*, 1631-1637.
3. Wattenberg , L. W.; Leong, J. L. Inhibition of the Carcinogenic Action of 7,12-Dimethylbenz[a]anthracene by Beta-Naphthoflavone. *Prod.* **1981**, *128*, 940-943.
4. K. H. Lee; Tagahara, K.; Suzuki, H; Wu, R. Y. ; Haruna, M, Hall, I.H.; Huang, H.C.; Ito, K.; Iida, T; Lai, J. S. Antitumor Agents 49: Tricin, Kaempferol-3-O- $\beta$ -D-glucopyranoside and (+)-Nortrachelogenin, Antileukemic Principles from *Wikstroemia indica*. *J. Nat. Prod.* **1981**, *44*, 530-535.
5. Xia, Y.; Yang, Z. Y.; Xia, P.; Bastow, K. F; Taxhibana, Y.; Kuo, S. C.; Hamel, E.; Hackl, T.; Lee, K. H. Antitumor agents. 181. Synthesis and biological evaluation of 6,7,2',3',4'-substituted 1,2,3,4-tetrahydro-2-phenyl-4-quinolones as a new class of antimitotic antitumor agents. *J. Med. Chem.* **1998**, *41*, 1155-1162.
6. Kuo, S. C; Lee, H. Z.; Juang, J. P.; Lin, Y. T.; Wu, T. S.; Chang, J. J; Lendnicer, D.; Kenneth, P. D.; Lin, C. M.; Hamel E; Lee, K. H. Synthesis and cytotoxicity of 1,6,7,8-substituted 2-(4'-substituted phenyl)-4-quinolones and related compounds: identification as antimitotic agents interacting with tubulin. *J. Med. Chem.* **1993**, *36*, 1146-1156.
7. Li, L.; Wang, H. K.; Kuo, S. C.; Wu, T. S.; Lendnicer, D.; Lin, C. M.; Hamel, E.; Lee, K. H. Antitumor agents. 150. 2',3',4',5',5,6,7-Substituted 2-phenyl-4-quinolones and related compounds: their synthesis, cytotoxicity, and inhibition of tubulin polymerization. *J. Med. Chem.* **1994**, *37*, 1126-1135.
8. Li, L.; Wang, H. K.; Kuo, S. C.; Wu, T. S.; Mauger, A. A.; Lin, C. M.; Hamel, E.; Lee, K. H.

- Antitumor agents. 155. Synthesis and biological evaluation of 3',6,7-substituted 2-phenyl-4-quinolones as microtubule agents. *J. Med. Chem.* **1994**, *37*, 3400-3407.
9. Neil, G. L.; Li, L. H.; Buskirk, H. H.; Moxley, T. E. Antitumor effects of the antispermatoxic agent, 2,3-dihydro-2-(1-naphthyl)-4-(1*H*)-quinazolinone. *Cancer Chemother.* **1972**, *56*, 163-173.
10. Yale, H. L.; Kalkstein, M. Substituted 2,3-dihydro-4-(1*H*) quinazolinones. A new class of inhibitors of cell multiplication. *J. Med. Chem.* **1967**, *10*, 334-336.
11. Chen, K.; Kuo, S. C.; Hsieh, M. C.; Mauger, A.; Lin, C. M.; Hamel, E.; Lee, K. H. Antitumor agents. 174. 2,3,4,5,6,7-Substituted 2-phenyl-1,8-naphthyridin-4-ones: their synthesis, cytotoxicity, and inhibition of tubulin polymerization. *J. Med. Chem.* **1997**, *40*, 2266-2275.
12. Chen, K.; Kuo, S. C.; Hsieh, M. C.; Mauger, A.; Lin, C. M.; Hamel, E.; Lee, K. H. Antitumor agents. 178. Synthesis and biological evaluation of substituted 2-aryl1,8-naphthyridin-4(1*H*)-ones as antitumor agents that inhibit polymerization. *J. Med. Chem.* **1997**, *40*, 3049-3056.
13. Jiang, J. B.; Hesson, D. P.; Dusak, B. A.; Dexter, D. J.; Kang, G. L; Hamel, E. Synthesis and biological evaluation of 2-styryl-quinazolin-4(3*H*)-ones, a new class of antimitotic anticancer agents which inhibit tubulin polymerization. *J. Med. Chem.* **1990**, *30*, 1721-1728.
14. Adams, G. K.; Lichtenstein, L. M. *In vitro* studies of antigen-induced broncho spasm: effect of antihistamine and SRS-A antagonist on response to sensitized guinea pig and human airways to antigen. *J. Immunol.* **1979**, *122*, 555-562.
15. Schwartz, L. B.; Austen, K. F. Structural and function of the chemical mediators of mast cells. *Prog. Allergy* **1984**, *34*, 271-321.
16. Semb, A. G.; Vaage, J.; Mjos, O. D. Oxygen free radical producing leukocytes cause functional depression of isolated rat hearts: role of leukotrienes. *J. Mol. Cell. Cardiol.* **1990**, *22*, 555-563.
17. Harman, D.; Piette, L. H. Free radical theory of aging: free radical reactions in serum. *J.*

*Gerontol.* **1966**, *21*, 560-565.

18. McCord, J. M. Free radicals and inflammation: protection of synovial fluid by superoxide dismutase. *Science* **1974**, *185*, 529-531.
19. Allen, R. E; Blake, D. R.; Nazhat, N. B.; Jones, P. Superoxide radical generation by inflamed human synovium after hypoxia. *Lancet* **1989**, *2*, 282-283.
20. Weissmann, G.; Smolen, J. E; Korzhak, H. M. Release of inflammatory mediators from stimulated neutrophils. *N. Engl. J. Med.* **1980**, *303*, 27-34.
21. Davies, M.; Barrett, A. L; Travis, J.; Sanders, E.; Coles, G. A. The degradation of human glomerular basement membrane with purified lysosomal proteinases: evidence for the pathogenetic role of the polymorphonuclear leukocyte in glomerulonephritis. *Clin. Sci. Mol. Med.* **1978**, *54*, 233-240.
22. Menninger, H.; Putzier, R.; Mohr, W.; Weissinghage, D.; Tillmann, K. Granulocyte elastase at the site of cartilage erosion by rheumatoid synovial tissue. *J. Rheumatol.* **1980**, *39*, 145-156.
23. Saklatvala, J.; Barrett, A. J. Identification of proteinases in rheumatoid synovium: detection of leukocyte elastase, cathepsin G and another serine proteinase. *Biochem. Biophys. Acta* **1980**, *615*, 167-177.
24. Burde, R.; Seifert, R.; Buschauer, A.; Schultz, G. Histamine inhibits activation of human neutrophils and HL-60 leukemic cells via H<sub>2</sub> receptors. *Nauny-Schmiedeberg's Arch. Pharmacol.* **1989**, *340*, 671-678.
25. Akinshola, B. E.; Verma, P.S.; Taylor, R. E. Effect of in vitro incorporation of prostanoid precursors, superoxide radical and hydrogen peroxide on platelet function. *Thromb. Res.* **1995**, *79*, 343-351.
26. Gutteridge, J. M.; Halliwell, B. The measurement and mechanism of lipid peroxidation in biological system. *Trends. Biochem. Sci.* **1990**, *15*, 129-135.

27. Parks, D. A.; Granger, D. N. Ischemia induced vascular changes: role of xanthine oxidase and hydroxyl radicals. *Am. J. Physiol.* **1983**, *245*, G285-G289.
28. McCord, J. M. Oxygen-derived free radicals in postischemic tissue injury. *N. Engl. J. Med.* **1985**, *312*, 159-163.
29. Dyke, H. J. and Montana, J. G. Update on the therapeutic potential of PDE<sub>4</sub> inhibitors. *Expert. Opin. Investig. Drugs.* **2002**, *11*, 1-13.
30. Hofman, F. M.; Hinton, D. R.; Johnson K.; Merrill, J. E. Tumor necrosis factor identified in multiple sclerosis brain. *J. Exp. Med.* **1995**, *170*, 607-612.
31. Meda, L.; Cassatella, M. A.; Szendrei, G. I.; Otvos, L. Jr.; Baron, P.; Villalba, M.; Ferrari, D.; Rossi, F. Activation of microglial cells by  $\beta$ -amyloid protein and interferon-?. *Nature* **1995**, *374*, 647-650.
32. Mallat, M.; Chamak, B. Brain macrophages: neurotoxic or neurotrophic effector cells. *J. Leukoc. Biol.* **1994**, *56*, 416-422.
33. Gehrmann, J.; Matsumoto, Y.; Kreutzberg, G. W. Microglia: intrinsic immunoeffector cell of the brain. *Brain Res. Rev.* **1995**, *20*, 269-280.
34. Gebicke-Haerter, P. J.; Bauer, L; Schobert, A.; Northoff, H. Lipopolysaccharide free conditions in primary astrocyte cultures allow growth and isolation of microglia cells. *J. Neurosci.* **1989**, *9*, 183-194.
35. Minghetti, L.; Nicolini, A.; Polazzi, E.; Cruinon, C.; Maclotif, J.; Levi, G. Inducible nitric oxide synthase expression in activated rat microglial cultures is down-regulated by exogenous prostaglandin E<sub>2</sub> and by cyclooxygenase inhibitors, *Glia* **1997**, *19*, 152-160.
36. Chao, C. C.; Hu, S.; Molitor, T. W.; Shaskan, E. G; Peterson, P. K. Activated microglia mediate neuronal cell death injury via a nitric oxide mechanism. *J. Immunol.* **1992**, *149*, 2736-2741.
37. Merrill, J. E.; Ignarro, L. J.; Sherman, M. P.; Melinek, J.; Lane, T. E.; Microglial cell

- cytotoxicity of oligodendrocytes is mediated through nitric oxide. *J. Immunol.* **1993**, *151*, 2132-2141.
38. Meda, L.; Cassatella, M. A.; Szendrei, G. I.; Otvos, L. Jr.; Baron, P.; Villalba, M.; Ferrari, D.; Rossi, F. Activation of microglial cells by  $\beta$ -amyloid protein and interferon-?. *Nature* **1995**, *374*, 647-650.
39. Elderfield, R. C.; Gensler, W. J.; Bembry, T. H.; Kremer, C. B.; Head, J. D.; Brody, F.; Frohardt, R. Synthesis of 2-phenyl-4-chloroquinolines. *J. Am. Chem. Soc.* **1946**, *68*, 1272-1275.
40. 賴雅韻，中國醫藥學院藥物化學研究所博士論文，2002年。
41. He, Q.; Jiang, D. A Novel Aminosteroid is Active for Proliferation Inhibition and Differentiation Induction of Human Acute Myeloid Leukemia HL-60 Cells. *Leuk. Res.* **1999**, *23*(4), 369-372.
42. Berridge, M. V.; Tan, A. S. Characterization of the Cellular Reduction of 3-(4,5-Dimethylthiazol-2-yl)-2,5-diphenyltetrazolium Bromide (MTT): Subcellular Localization, Substrate Dependence, and Involvement of Mitochondrial Electron Transport in MTT Reduction. *Arch. Biochem. Biophys.* **1993**, *303*, 474-482.
43. J. P. Wang, S. L. Raung, Y. H. Kuo and C. M. Teng, Daphnoretin-induced respiratory burst in rat neutrophils is probably mainly through protein kinase C activation, *Eur. J. Pharmacol* **1995**, *288*, 341-348.
44. Markert, M.; Andrews, P. C.; Babior, B. M. Measurement of  $O_2^-$  production by human neutrophils. The preparation and assay of NADPH oxidase-containing particles from human neutrophils. *Methods Enzymo.* **1984**, *105*, 358-365.
45. Newby, A. C. Role of adenosine deaminase, ecto-(5'-nucleo-tidase) and ecto-(non-specific phosphatase) in cyanide-induced adenosine monophosphate catabolism in rat polymorphonuclear leucocytes. *Biochem. J.* **1980**, *186*, 907-918.
46. Barrett, A. J. "A Laboratory Handbook", Dingle, J. T. ed (Elsevier/NorthHolland,

Amsterdam) **1972**, 118-120.

47. Absolom, D.R. Basic methods for the study of phagocytosis. *Methods Enzymol.* **1986**, *132*, 95-180.
48. Wang, J. P.; Raung, S. L.; Hsu, M. F.; Lin, C. C. Inhibition by gomisin C (a lignan from *Schizandra chinensis*) of the respiratory burst of rat neutrophils. *Br. J. Pharmacol.* **1994**, *113*, 945-953.
49. McClain, D. E.; Donlon, M. A.; Chock, S.; Catravas, G. N. The effect of calmodulin on histamine release in the rat peritoneal mast cell. *Biochem. Biophys. Acta.* **1983**, *763*, 419.
50. Hanahae, T. H. P. Mechanism of histamine release from rat isolated peritoneal mast cells by dextran: the role of immunoglobulin E. *Agents Action* **1984**, *14*, 468.
51. Johnson, A. R.; Erdos, E. G. Release of histamine from mast cell by vasoactive peptides. *Proc. Soc. Exp. Biol. Med.* **1973**, *142*, 1252-1256.
52. Hakanson, R.; Ronnberg, A. L. Improved fluorometric assay of histamine. *Analyst.* *Biochem.* **1974**, *60*, 560-567.
53. Corradin, S. B.; Manuel, J.; Donini, S. D.; Quattrocchi, E.; RicciardiCastagnoli, P. Inducible nitric oxide synthase activity of cloned murine microglial cells. *Glia* **1993**, *7*, 255-262.
54. Minghetti, L.; Nicolini, A.; Polazzi, E.; Creminon, C.; Maclouf, J.; Levi, G.; Inducible nitric oxide synthase expression in activated rat microglial cultures is down-regulated by exogenous prostaglandin E2 and by cyclooxygenase inhibitors. *Glia* **1997**, *19*, 152-160.