

參考文獻

- 1.楊慕震，張毓力，鄭建新. 經皮吸收系統藥物輸送數學模式之文獻回顧. 化工：中國化學工程學會會刊. 1994, 41 (4) : 68-84.
2. Barry B. W., 1983. Dermatological formulations: Percutaneous absorption. Marcel Dekker, Inc., New York.
3. Chein, Y. W., 1987. Advances in transdermal systemic medication. In: Chein, Y. W., (Eds.), Transdermal controlled systemic medication. Marcel Dekker, Inc., New York.
4. Kydonieus, A. F., 1987. Fundamentals of transdermal drug delivery. In: Kydonieus, A. F., Berner, B., (Eds.), Transdermal delivery of drug, Vol. I. CRC press LLC, U. S. A. pp. 3-16.
5. 高希言, 宋宇紅主編. 中醫外治法大全. 天津科技翻譯. 天津. 1996.
6. 陳力, 黃新建. 從《萬物》和《五十二病方》看春秋戰國時期藥物學發展狀況. 湖南中醫學院學報. 1997, (2) : 3-5.
7. 姚純發. 淺談馬王堆帛書《五十二病方》中華醫史雜誌. 2000, (3) : 187-188.
8. 李乃民. 中國傳統醫學外治療法全書. 學苑出版社. 北京. 1997.
9. 陳農. 《黃帝內經》原貌探尋. 醫古文知識. 1995, (2) 26-29.
10. 王華主編. 當代中醫外治精要. 中國中醫藥出版社. 北京. 1996.
11. 孟慶云. 《周易》與《傷寒論》. 中醫研究. 1995, (2) : 9-12.
12. 陳衛平《金匱要略》中藥物外治法的探討. 中醫外治雜誌. 2000,

- 9(1): 28.
13. 張蘇穎. 《金匱》外治法擷萃. 中醫外治雜誌 2002, 11 (4): 18-19.
14. 吳佩衡, 龍德昭, 張曉琳. 對《傷寒論》的研究和學術思想的發展. 雲南中醫學院學報. 1995, (1): 26-29.
15. 吳培植. 簡述《金匱要略》中的外治法. 中醫外治雜誌. 1995, (1): 43.
16. 龍瑞敏. 《金匱要略》外治法簡析. 貴陽中醫學院學報 1994, (2): 1-3.
17. 劉克墀. 《葛洪肘后備急方》辨識補苴. 江蘇中醫. 1996, (4): 38-39.
18. 蕭守貴. 淺談《千金要方》對中醫外治法的貢獻. 中華醫學雜誌. 1994, 29 (4): 238.
19. 王效菊. 《備急千金要方》、《千金翼方》傳染病証治析要. 河南中醫. 1996, (1): 23-25.
20. 孫鶴林, 查雪燕, 孫華林. 淺述《千金要方》外治法. 中醫文獻雜志. 1994, (2): 13-14.
21. 豆永祥. 《敦煌遺書》外治法初探. 甘肅中醫. 1996, 9 (4): 10.
22. 郝懷斌, 劉少明. 《外台秘要》醫學價值的再認識. 中華醫史雜誌. 1996, (8): 246-248.
23. 徐榮慶, 周珩, 張步青. 《外台秘要》外治法析要. 南京中醫藥大學學報 1996, 12 (5): 46-47.
24. 劉書奎. 《幼幼新書》引用醫學文獻考. 中華醫史雜誌. 1998,

- (3): 177-180.
- 25.陳敏.《本草綱目》內病外治法給藥途徑簡介.中醫外治雜誌.1995,(4): 41-42.
- 26.王曉原.《本草綱目》中的內病外治法淺析.中醫外治雜誌.1995,(5): 38-39.
- 27.李時珍.《本草綱目》對中醫外治法及外用藥的貢獻.時珍國藥研究.1996,7(3): 133.
- 28.李富漢,歸永亮.陳復正《幼幼集成》學術思想探要.河南中醫.1994,(5): 275-277.
- 29.李春英.評介中醫兒科專著《幼幼集成》--兼論陳霞飛的學術思想.光明中醫.1996,(1): 48-51.
- 30.李乃庚編.小兒外治療法.天津科學技術出版社.1996.天津.
- 31.張仲源,郭雪申.《串雅外編》中的中醫外治法.中醫外治雜誌.1996,(3): 39.
- 32.張述文,張孝合,張美云.《串雅》外治法學術思想探討.中醫外治雜誌.1995(6): 40.
- 33.孫迎慶.吳師機外治法主要貢獻及學術思想.江西中醫藥.1998,29(2): 48.
- 34.張潤玉.《理瀹駢文》外治法淺析.浙江中醫學院學報.1994,(5): 43-44.
- 35.王新智.吳尚先外治法探析.安徽中醫臨床雜誌.1996,8(5): 231-234.
- 36.Zaffarona A. U.S. Patent 3, 598, 122, August 10, 1971.

- 37.Shaw, J. E., Prevo M. E., Amkuraut A. A., 1987. Testing of controlled-release transdermal dosage forms, Product development and clinical trials. Archives dermatology. 123:1548-1556.
- 38.Pfister, W. R., 1997. In: Ghosh, T. K., Pfister, W. R., Yum, S. I., (Eds.), Transdermal and topical drug delivery system. Interpharm Press, Buffalo Grove, IL, USA, pp. 33-112.
- 39.Paker, F., Wester, R. C., 1991. Structure & function of skin. In: Orkin, M., Howard, I., Maibach, M. V., (Eds.), Dermatology. Prentice-Hall International Inc. London.
- 40.曹汝智. 中西醫結合皮膚美容學. 學苑出版社. 北京. 2000, p. 227.
- 41.Rassner, G., Walter, H. C. Burgdorf, 1994. Atlas of dermatology. Lea& Febiger, Tokyo.
- 42.Sanders, J. E., Goldstein, B. S., Leotta, D. F., Richards, K. A., 1999 . Image processing techniques for quantitative analysis of skin structures. Computer methods and programs in biomedicine. 59: 167-180.
- 43.Meier, W., Hoppe, U., 1995. Texture analysis of human skin. Skin Pharmacology. 8: 252-256.
- 44.Lubowe, I. I., 1963. New hope for your skin. Dutton, New York.
- 45.Fitzpatrick, J. E., Aeling, J. L., 1996, Dermatology secrets. Book Promotion & Service CO.; LTD.

- 46.陸彬等. 藥物新劑型與新技術. 人民衛生出版社北京. 1998. 北京.
- 47.Kydonieus, A. F., Wille, J. J., Murphy, G. F., 2000. Fundamental concepts in transdermal delivery of drug. In: Kydonieus, A. F., Wille, J. J., (Eds.), Biochemical modulation of skin reactions: transdermal, topical, cosmetics. CRC press LLC, U. S. A. pp. 1-12.
- 48.Foldvari, M., 2000. Non-invasive administration of drugs through the skin: challenges in delivery system design. PSTT. 3 (12): 417-425.
- 49.Franz, T. J., Lehman, P. A., 2000.The skin as a barrier: Structure and function. In: Kydonieus, A. F., Wille, J. J., (Eds.), Biochemical modulation of skin reactions: Transdermal, topical, cosmetics. CRC press LLC, U. S. A. pp. 16-30.
- 50.Wertz, P. W., Downing, D. T., 1989. Stratum Corneum: Biological and biochemical considerations. In: Hadgraft, J., Guy, R. H., (Eds.), Marcel Dekker, Inc., New York. pp 1-17.
- 51.Parker, F., 1991. Structure & function of the skin. In: Orkin, M., Maibach, H. I., Dahl, M. V. (Eds.), Dermatology, 5th edn. Appleton & Lange, USA, pp. 1-14.
- 52.光井武夫, 新化妝品學, 合記圖書出版社, 台灣, 1992.
- 53.Hall, J. C., 2000. Structure of the skin. In: Winters R., Patterson D., Palumbo R. (Eds.), Sauer's manual of skin diseases, 8th

- edn. Lippincott Williams & Wilkins, USA, pp. 1-8.
- 54.鄒志東, 諸議內經中的美容理論基礎, 北京中醫, 1995, (6) : 42-44.
55. Barry, B. W., 1983. Dermatological formulations: Percutaneous absorption. Marcel Dekker, Inc., New York.
56. Bissett, D. L., 1987. Anatomy and biochemistry of skin. In: Kydonieus, A. F., Berner, B. (Eds.), Transdermal delivery of drug, Vol. I. CRC press LLC, U. S. A. pp. 30-40.
57. 黃霏莉, 醫學美容學的重要分支 - 中醫美容, 北京聯合大學學報, 1994, (8): 72-78
58. Ramachandran, C., Fleisher, D., 2000. Transdermal delivery of drugs for the treatment of bone disease. Adv. Drug Deliv. Rev. 42: 197-233.
59. Berner, B., Copper, E. R., 1987. Models of skin permeability. In: Kydonieus, A. F., Berner, B. (Eds.), Transdermal delivery of drug, Vol. II. CRC press LLC, U. S. A. pp. 30-40.
60. Ille, B., Scheafer, H., Wepierre, J., Doucet, O., 1991. Follicles play an important role in percutaneous absorption. J. Pharm. Sci. 80 (5) : 424.
61. Behl, C. R., Bellantone, N. H., Flynn, G. L., 1985. Influence of age on percutaneous absorption of substance. In: Bronaugh, R. L., Maibach, H. I. (Eds.), Marcel Dekker, Inc., New York.
62. 李西林, 沈紅藝, 徐蓮英. 中藥穴位敷貼透皮給藥的研究概況. 上

- 海中醫藥雜誌. 2001, (1) : 47-49.
63. 劉祖舜. 從“穴位”藥效研究經穴. 南京中醫大學學報. 1994, 10 (1) : 41-43.
64. 董洪濤, 李靜. 經絡穴位經皮給藥系統的機理研究. 甘肅中醫. 1999, 12 (5) : 58-59.
65. 梁秉文. 經皮給藥製劑. 中國醫藥科技出版社. 北京. 1992.
66. Al-Khamis, K., Davis, S. S., Hadgraft, J., 1989. Microviscosity and release form topical gel formulation. Pharm. Res. 3 (4) : 214.
67. Flynn, G. L., Linn, E. E., Kurihara-Bergstrom, T., Govil, S. K., 1987. Parameters of skin condition and function. Marcel Dekker, Inc., New York. Transdermal delivery of drug, Vol. II. CRC press LLC, U. S. A. pp. 3-14.
68. Scheuplein, R. J., Blank, I. H., 1971. Permeability of the skin. Physio. Rev. 51: 702.
69. Riviere, J. E., Williams, P. L., 1992. Pharmacokinetic implication of changing blood flow in skin. J. Pharm. Sci. 81(6): 601.
70. Flynn, G. L., Durrheim, H.H., Higuchi, W. I., 1980. Permeation of hairless mouse skin II: Membrane sectioning techniques and influence on alkanol Permeabilities. J. Pharm. Sci. 70 (1) : 52.
71. Behl, C. R., Flynn, G. L., Linn, E. F., Smith, W. M., 1984. Percutaneous absorption of corticosteroids: age, site, and

- skin-sectioning influences on rates of Permeation of hairless mouse skin by hydrocortisone. *J. Pharm. Sci.* 73:1287.
72. Roberts, M. S., Horlock, E., 1978. Effect of replaced skin application on percutaneous absorption of salicylic acid. *J. Pharm. Sci.* 67 (12) : 1685.
73. Pfister, W. R., 1997. Transdermal and topical drug delivery systems. In: Pfister, W. R., Yum, S. I., (Eds.), Interpharm Press, Buffalo Grove, IL, U. S. A.
74. Baker, R., Kochinke, F., 1989. Transdermal drug delivery systems. Controllde release of drugs: Polymer and aggregate system. In: Rosoff, M., (Eds.), VCH Publishers, New York.
75. Chien, Y. W., 1987. Transdermal therapy systems. In: Robinson, J. R., Lee, V. H. L., (Eds.), Controlled drug delivery, Marcel Dekker, Inc., New York.
76. 楊云松等, 透皮控是給藥研究, 高分子通報, 2002, 1: 49-54.
77. Davis, S. S., Illum, L., 1998. Drug delivery systems for challenging molecules. *Int. J. Pharm.* 176: 1-8.
78. Costa, P. et al., 1997. Design and evaluation for a lorazepam transdermal delivery system. *Drug Dev. Ind. Pharm.* 23(10): 939-944.
79. Minghetti et al., 1999. Dermal patches for the controlled release of miconazole: influence of the drug concentration on the technical characteristics. *Drug Dev. Ind. Pharm.* 25:

- 679-684.
80. Pharmaceutical polymer , Bulletin 16:Bioadhesion , Noveon.
81. Ramarao, P., Diwan, P. V., Formulation and in vitro evaluation of polymeric films of diltiazem hydrochloride and indomethacin for transdermal administration. *Drug Dev. Ind. Pharm.* 24(4): 327-336.
82. Guyot, M., Fawaz, F., 2000. Design and in vitro evaluation of adhesive matrix for transdermal delivery of propranolol. *Int. J. Pharm.* 204: 171-182.
83. Kandavilli, S., Nair, V., Panchagnula, R., 2002. Polymers in transdermal drug delivery systems. *Pharmaceutical Technology*. 62-80.
84. Barnhart, S., Carrig, T., 1998. *Adhesives & Sealants Industry*. 5(3): 26.30.
85. Roy, S. D., Controlled transdermal delivery fentanyl: characterization of pressure-sensitive adhesives fro matrix patch design. *J. Pharm. Sci.* 85(5): 491-495.
86. Rolf, D., Sjoblom, U., 2000. Method of forming adhesive patch for applying medication to the skin. U.S. Patent No. 6,096,333
87. Murray, M. T., Pizzorno, J. E., 1999. Alzheimer's disease. Textbook of natural medicine, 2nd edn. Churchill Livingstone, USA, 1067-1076.
88. Katzman, R., 1976. The prevalence and malignancy of

- Alzheimer's disease: A major killer. *Arch. Neurol.* 33:217-218.
89. Duan, W. Z., Zhang, J. T., 1998. Effects of clausenamide on anisodine-induced acetylcholine decrease and memory deficits in the brain. *Chin. Med. J.* 111(11): 1035-1038.
90. Farlow, M., Gracon S. I., Hershey, L. A., 1992. A controlled trial of tacrine in Alzheimer's disease. *The Journal of the American Medical Association.* 268(2):523.
91. 吳偉洁, Donepezil 治療阿爾采末病, 中國新藥與臨床雜誌, 19(1): 49.
92. 代國林, 安理申 Aricept (新藥之窗), 中國新藥雜誌, 9(4): 273.
93. Anand, R., Charabawi, G., Enz, A. Efficacy and safety results of the cognitive deficits of Alzehimer's disease. *J. Neurol.* 50: 1214.
94. 陶紀寧, 膽鹼酯? 治療阿爾海默病的研究進展, 2001, 25(4): 202-206.
95. Rogers, S. L., Doody, R. S., Mohs, R. C., 1998. Donepezil improves cognition and global function in Alzheimer's disease: a 15-week. Double-blind, placebo-controlled study. *Arch. Inter. Med.* 158: 1021-1031.
96. Hwang, Liu, K M., 2002. Transdermal rate-controlled delivery of *Huperzine A* for the treatment of Alzheimer's disease. U.S. Patent No. 352,715.
97. Cross, A. J., 1990. Serotonin in Alzheimer-type dementia and

- other dementing illness. *Ann. NY. Acad. Sci.* 600: 405-415.
98. Shawitz B. A., Shaywitz, S. E., 2000. Estrogen and Alzheimer disease: plausible theory, negative clinical trial. *JAMA*. 283(8): 1055-1056.
99. Yamada, K., Tanaka, T., Han, D., Senzaki, K., Kameyama, T., Nabeshima, T., 1999. Protective effects of idebenone and alpha-tocopherol on beta-amyloid-(1-42)-induced learning and memory deficits in rats: implication of oxidative stress in beta-amyloid-induced neurotoxicity in vivo. *Eur. J. of Neurosci.* 11(1): 83-90.
100. Breitner, J. C. S., 1996. Inflammatory processes and anti-inflammatory drugs in Alzheimer's disease: A current appraisal. *Neurobiol. Aging*. 17: 789.
101. Gudasheva, T. A., Konstantinopol'skii M. A., Ostrovskaya, R. U., Seredenin S. B., 2001. Anxiolytic activity of endogenous nortropic depeptide cycloprolyglycine in elevated plus-maze test. *Bull. Exp. Biol. Med.* 131(5): 464-466.
102. 應小雄等. 中華本草, 上海科學技術出版社, 上海, 1999.
103. Cheng, D. H., Tang, X.C., 1998. Comparative studies of huperzine A, E2020, and tacrine on behavior and cholinesterase activities. *Pharmacology Biochemistry and Behavior*. 60(2):377-386.
104. 曾貴云等, 葛根素對 β -腎上腺素受體結合作用和腺? 酸環化?

- 活性的影響，中華醫學雜誌，1985, 54(5): 265-270.
- 105.汪鍾等，3,4-二羥基苯乙酮對家兔血小板功能的影響，中國藥理學報，1984, 5(3): 187-192.
- 106.Ullah, D., Wang, D., Ming, Z., 1995. Effects of 3, 4-dihydroxyacetophenone(3, 4-DHAP)on hypoxic pulmonary and systemic vascular response in dogs. *J. Tongji. Med. Univer,* 15(1): 26-30.
- 107.余紅英等，草藥蛇足石杉的研究進展，中草藥，2001, 32(3): 279-281.
- 108.Ye, J. W., Shang, Y. Z., Tang, X. C., 2000. Huperzine A ameliorates the impaired memory of aged rat in the morris water maze performance. *Acta Pharmacologica Sinica,* 21:65-69.
- 109.任德全，中藥指紋圖譜質控技術的意義與作用，中藥新藥與臨床藥理，2001, 12(3): 135-140.
- 110.聶晶等，中藥指紋圖譜的研究現狀，中草藥，31(12): 881-884.
- 111.Dahl, T. C., 1990. Influence of physico-chemical properties of hydroxypropylmethylcellulose on naproxen release from sustained-release matrix tablets. *J. Controlled Release.* 14: 1.