AGFD

Lauren Jackson

Tuesday, August 21, 2012

133 - Pharmacokinetics and tissue distribution of resveratrol and emodin in rats after intake of Polygonum cuspidatum

Yu-Chi Hou¹, hou5133@gmail.com, Shiuan-Pey Lin¹, Meng-Hao Wu², Shang-Yuan Tsai¹, Pei-Dawn Lee Chao¹. (1) School of Pharmacy, China Medical University, Taichung, Taiwan Republic of China, (2) School of Pharmaceutical Sciences and Chinese Medicine Resources, China Medical University, Taichung, Taiwan Republic of China

Wkh#ukl}rp h#ri Polygonum cuspidatum#sF, #frqwdlqv#srd skhqrov#xfk#dv#hvyhudwrddqg#p rglql#q#rughu#wr#xqghuvwdqg#kh# skdup dfrnlqhwlfv#dqg#wlvxh#glwulexwlrq#ri#srd skhqrov#Q#SF/#udw#k huh#jlyhq#e dwhu#h{wdfw#ri#SF1Dv#subghwhup lqhg#wlp h#srlqw/#ecrg vdp sdv#z huh#z bkgudz q#yld#duglrsxqfwcuhl#q#dggburq/#diwhu#; #grvhv#ri#SF#s#j2nj,/#kkh#udlq/#dyhu/#xqj/#hlgqh/#dqg#khuw#k huh fræhfwhg1#Wkh#rqfhqwudwrqv#ri#uhvyhudwurddqg#p rglq#dv#z ha#dv#wkhl#p hwdero&hv#q#savp d#dqg#ipxfxurqlghv#ri#p rglq/#z khuhdv#qr Wkh#uhvxow#kxrz hg#wkdw#wkh#p dmru#irup v#q#savp d#z huh#jafxurqlghv2vxddwhv#ri#uhvyhudwurddqg#jafxurqlghv#ri#p rglq/#z khuhdv#qr iuhh#irup v#z huh#ghwhfwg1#q#kkh#wsg1bg#rujdqv/#kkh#frqmxjdwhg#p hwdero&hv#ri#uhvyhudwurddqg#p rglq#z huh#wh#p dmru#p rdnfxdv/ h{fhsw#hp rglq#suhvhqw#p dlqd #dv#iiuhh#irup #q#dyhul#q#rqfxvtrq/#frqmxjdwhg#p hwdero&hv#ri#iihvyhudwurddqg#p rglq#duh#suhgrp lqdqw#q wkh#Lufxadwirq#dqg#p rv#rujdqv#diwhu#qwdnh#ri#SF1

Tuesday, August 21, 2012 02:00 PM <u>JhghuddSrvwhuv#435=334SP 0#37=334SP</u>, Location: Pennsylvania Convention Center Room: Hall D

-DFV #grhv#grw#zzq#rs|uljkw#wr#wkh#lqglylgxd#levwudfw1#uru#shuplwvlrq/#sohdvh#rqwdfwl#kh#lxwkru+v,#ri#wkh#levwudfw1

Forvh#Z lqqrz